# Health Research Symposium 2021 23 November 2021

The 10<sup>th</sup> Anniversary of the Establishment of the Health and Medical Research Fund Health and Medical Research Fund (HMRF)



COVID190205

Molecular epidemiological study of COVID-19 cases in Hong Kong

Leo Poon School of Public Health The University of Hong Kong Hong Kong

llmpoon@hku.hk







LKS Faculty of Medicine HKU-Pasteur Research Pole 香港大學-巴斯德研究中心



Centre for Immunology & Infection 免疫與感染研究中心

## Use of multidisciplinary approach to study SARS-CoV-2 transmission






### **Objectives**

- New virus variant introduction? How?
- Cases are related or not?
- Understand transmission dynamic.


### <u>Outcomes</u>

- Science
- To provide scientific underpinnings for policy and decision making;





Urgent cases: < 48 hours


Weekly report to various stakeholders



## **COVID-19 cases in HK**









#### Top 10 clusters

Dancing/Singing (N=732)
URSUS fitness club (N=155)
Kwai Chung container terminal (N=77)
K11 (N=57)
Lam Tin tunnel construction site (N=50)
Tuen Mun Fulum (N=52)
Star Globla (N=88)
Kai Tak construction site (N=74)
Fong Shu Chuen Day Activity Centre (N=61)
Bar and Band (N=103)

### Use of genetic information to facilitate case clustering & declustering:



## Genetic difference between cases in the same epi-cluster is very small



### Declustering


- Clusters with multiple transmission chain
- False positive cases
- Local cases due to imported cases


### **Clustering**

 Identify links between cases or clusters

# **First case of COVID-19 reinfection**

- Infected in HK in March 2020
- Recovered and tested negative in April
- No detectable neutralizing antibody after the first infection
- Returned to HK and tested positive in the HK airport (Day 145)






## Use of genetic information to reveal transmission events

### **Boston to HK in March**


- Cases A & B: a couple
- Cases C & D: cabin crews
- Deduced genomes were 100% identical
- The detected lineage was not found in HK at that time



#### First in-flight COVID-19 transmission study supported by genetic evidences

	Feb-20 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17	18 19 20 21 22 23 24 25 26 27 28 29 1 2 3	Mar-20 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24				Incubation period (14 days)
Case A	Hong Kong Hong Kong	Toronto	Boston	Fly	Hong Kong		Onset of symptoms COVID-19 diagnosis
Case B		Totonto	Boston		Hong Kong		Hospital admission
Case C		Hong Kong	Crew Boston	Crew	Hong Kong	= •	Contact tracing
Case D		Hong Kong	USA	Crew	Hang Kong		Choi et al EID 2020

### First report showing zoonotic transmission from pet owner to pet




#### No evidence of zoonotic transmission from pets to humans


• Sit et al., Nature 2020

# Research findings





## Introduction of **B.1.36.27** variant, causing the wave 4 of COVID-19 in HK



10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10<

### SARS-CoV-2 transmission via hotel settings

(Other examples are not discussed)

#### Latest Measures For Arrivals To Hong Kong



Compulsory quarantine period for all arrivals extended to 21 days at designated quarantine hotels

Dec 2020: Quarantine hotel policy


#### Chu et al., EID 2021a


# Lockdown in a small community

Epidemic curve by confirmation date and stratified by case classifications



## **Fitness centre cluster**







The centre lacks fresh air and exhaust duct systems

Issued new guidelines for COVID-19 control in gyms (e.g. Cap. 599F: air-change  $\geq 6$  per hr)


# **Estimate the extend of virus circulation**




- How many transmission chains at a time?
- Are they spreading to other districts?
- Requires targeted controls?





# Effect of chancing policy/behaviour on virus circulation



## Imported cases







**Bronchus AUC** 

13627 (944-1)

Infected C

36.21 (MA.2)

Contact transmission Droplet transmission

8:1.63(M2)

P MAR

Naïve

200

AUC (24-72h) 150 100 0.022

1.1.7 phone A

8.1351 (Bata)


Naïve

H Yen


9.136 (MA3)

#### Dhanasekaran et al., J Travel Med 2021

Airway organoid infected with SARS-CoV-2



K Hui & M Chan





S Valkenburg & M Peiris



LKS Faculty of Medicine



#### LKS Faculty of Medicine School of Public Health SPH @ HKU: a WHO COVID-19 Reference Laboratory

#### Jan 2020

Coronavirus disease (COVID-19) technical guidance:

Laboratory testing for 2019-nCoV in humans

香港大學公共衞生學院

World Health Organization

Institutions received controls and diagnostic reagents from HKU



April 2020: 170 destinations in 77 countries Chu et al., Clin Chem 2020

- Detect their index cases (e.g. Egypt)
- Provide technical supports
- Received samples for case conformation

#### Jan 2021

### **Genomic sequencing of SARS-CoV-2**

A guide to implementation for maximum impact on public health

8 January 2021



- Technical support
- Sample testing
- Result validation



Food and Agriculture Organization of the United Nations










# Summary:

Molecular epidemiology



- Understand transmission
- Monitor situation and trend
- Identify gaps
- Lead to better science

Publications supported by COVID19025:


- first reverse zoonosis (Sit et al., Science 2020)
- the viral dynamic in Hong Kong (Gu et al., Nature Communications, under 2<sup>nd</sup> review)
- world's first re-infection (Chan et al., EID 2020)
- first infight transmission (Choi et al., EID 2020)
- a super-spreading event in a flight (Dhanasekaran et al., J Travel Med., 2021)
- a super-spreading event associated with poor air ventilation (Chu et al., EID 2021a)
- Hotel with quarantined travellers can be a hotspot for virus introduction (Chu et al., EID 2021b)
- HK might serve as a regional sentinel site to monitor virus diversity (Gu et al., EID, 2021 and 2022)

All tools have their pros and cons

Real

world impacts

They should be used as a package



## **Acknowledgments**



**Health and Medical** Research Fund (HMRF) Food and Health Bureau



DE



School of Public Health: Malik Peiris, Gabriel Leung, Haogao Gu, Daniel Chu, Tommy Lam, Ben Cowling, Michael Chan, Kenrie Hui, Alex Chin, Hui-Ling Yen, Dillon Adam, Kathy Leung, Joseph Wu, Mahen Perera, Yi Guan, Maria Zhu and NGS Sequencing Team

**HKU Pasteur:** Vijay Dhanasekaran, Sophie Valkenburg, Hien M Tun, Chris Mok, Roberto Bruzzone

**Department of Pathology, HKU:** John Nicholls **Faculty of Enginnering:** Tong Zhang **Centre for PanorOmic Sciences (CPOS)** 

- CHP, Hong Kong (Colleagues from PHLSB and CDB)
- AFCD, Hong Kong
- Infectious Disease Centre, PMH, Hong Kong
- HA, Hong Kong
- The Chinese University of Hong Kong
- London School of Hygiene & Tropical Medicine














- WHO
- OIE
- Pasteur network

(HP)

- CEIRR, NIH
- CREID, NIH









From "New normal" to "Real normal"